THE JOURNAL OF SUPERCRITICAL FLUIDS

VOL. 13 NOS. 1–3 **15 JUNE 1998**

CONTENTS

(Abstracted/indexed in: Chemical Abstracts; Current Contents: ET&AS; Current Contents: PC&ES; Drexel Polymer Notes, Engineered Materials Abstracts; Polymer Contents)

Special Issue: Selected Papers Presented at the 4th International Symposium on Supercritical Fluids, Sendai, Japan, 11–14 May 1997, edited by Kunio Arai

Preface and Overview vii

Editorial 1

Thermodynamics, Phase Equilibria and Solubility

High-pressure investigations of fluid mixtures – review and recent results
G.M. Schneider (Bochum, Germany) 5

Measurement of the P–V–T relationship for carbon dioxide + n-butane and carbon dioxide + i-butane in the vicinity of the critical point
T. Tsuji, S. Honda, T. Hiaki and M. Hongo (Chiba, Japan) 15

Vapor–liquid equilibria for supercritical carbon dioxide + butanol systems at 313.2 K
T. Hiaki, H. Miyagi, T. Tsuji and M. Hongo (Chiba, Japan) 23

Volumetric behavior of ethyl acetate, ethyl octanoate, ethyl laurate, ethyl linoleate, and fish oil ethyl esters in the presence of supercritical CO_2
R.L. Smith, Jr, T. Yamaguchi, T. Sato, H. Suzuki and K. Arai (Sendai, Japan) 29

High-pressure solubility of disperse dyes in near- and supercritical fluids: measurements up to 100 MPa by a static method
D. Tuma and G.M. Schneider (Bochum, Germany) 37

High-pressure solubility of 1,4-bis-(*n*-alkylamino)-9,10- anthraquinones in near- and supercritical carbon dioxide
C.B. Kautz, B. Wagner and G.M. Schneider (Bochum, Germany) 43

Modeling and Simulations

Predictions of critical behavior using the Wong–Sandler mixing rule
G.E. Alvarado (Newark, DE, USA), M. Castier (Rio de Janeiro) and S.I. Sandler (Newark, DE, USA) 49

A new two-fluid quasilattice equation of state for calculating physical properties and supercritical phase equilibria
K.P. Yoo, H.Y. Shin and C.S. Lee (Seoul, South Korea) 55

Prediction of phase equilibria for the systems containing ammonia using PRASOG
K. Tochigi, K. Kurihara, T. Satou and K. Kojima (Tokyo, Japan) 61

Solid–fluid phase equilibrium modeling for binary systems containing carbon dioxide
E. Cassel, J.V. Oliveira, A.M.C. Uller (Rio de Janeiro) and M. Rogalski (Metz, France) 69

Molecular adsorption: repulsive versus attractive supercritical fluid mixtures
L.L. Lee (Norman, OK, USA) and H.D. Cochran (Oak Ridge, TN, USA) 77

Three-dimensional structure and hydrogen bonding of water in sub- and supercritical regions: a molecular simulation study
C.C. Liew, H. Inomata, K. Arai and S. Saito (Sendai, Japan) 83

Diffusion coefficients of aromatic compounds in supercritical carbon dioxide using molecular dynamics simulation
H. Higashi, Y. Iwai, H. Uchida and Y. Arai (Fukuoka, Japan) 93

Polymers

Phase behaviors and fractionation of polymer solutions in supercritical carbon dioxide
S. Kim, Y.-S. Kim and S.-B. Lee (Ulsan, South Korea) 99

Partitioning of solutes and cosolvents between supercritical CO_2 and polymer phases
S.G. Kazarian, M.F. Vincent, B.L. West and C.A. Eckert (Atlanta, GA, USA) 107

Phase equilibria of supercritical fluid–polymer systems
S.-H. Chang, S.-C. Park and J.-J. Shim (Kyongbuk, South Korea) 113

Phase behavior of CO_2–perfluoropolyether oil mixtures and CO_2–perfluoropolyether chelating agent mixtures
R. Enick, E. Beckman, A. Yazdi (Pittsburgh, PA, USA), V. Krukonis, H. Schonemann (Lawrence, MA, USA) and J. Howell (Deepwater, NJ, USA) 121

Formation of fluoroether polyurethanes in CO_2
R. Enick, E. Beckman, C.-M. Shi and E. Karmana (Pittsburgh, PA, USA) 127

(Contents continued on final pages)

0896-8446(19980602)13:1-3;1-9

(Contents continued)

Alternative solvents for cellulose derivatives: Miscibility and density of cellulosic polymers in carbon dioxide + acetone and carbon dioxide + ethanol binary fluid mixtures
E. Kiran and H. Pöhler (Orono, ME, USA) 135

Special Techniques

Fluid behavior at supercritical states studied by small-angle X-ray scattering
K. Nishikawa and T. Morita (Chiba, Japan) 143

Optical absorption of fine gold particles in supercritical carbon dioxide for the characterization of solvent properties
M. Arai, Y. Nishiyama and Y. Ikushima (Sendai, Japan) 149

Solvent reorganization energies measured by an electron transfer reaction in supercritical ethane
K. Takahashi, S. Sawamura (Sapporo, Japan) and C.D. Jonah (Argonne, IL, USA) 155

Density dependence of photoionization potential of anthracene in supercritical ethane: a role of dynamic cluster
Y. Otsuki, I. Shimoyama, T. Mochida and K. Nakagawa (Kobe, Japan) 163

Effective axial dispersion coefficients in packed beds under supercritical conditions
T. Funazukuri (Tokyo, Japan), C. Kong and S. Kagei (Yokohama, Japan) 169

Simultaneous viscosity and density measurement of supercritical CO_2-saturated PEG 400
D. Gourgouillon (Monte de Caparica, Portugal), H.M.N.T. Avelino, J.M.N.A. Fareleira (Lisboa, Portugal) and M. Nunes da Ponte (Monte de Caparica, Portugal) 177

Reactions

Tuning fluid solvents for chemical reactions
C.A. Eckert and K. Chandler (Atlanta, GA, USA) 187

Photo-oxygenation of benzene in supercritical CO_2
T. Kawahata, J. Otomo, Y. Oshima and S. Koda (Tokyo, Japan) 197

Selective dimerization of benzothiophene using supported aluminum sulfate under supercritical CO_2 conditions
K. Sakanishi, H. Obata, I. Mochida (Fukuoka, Japan), T. Sakaki and M. Shibata (Saga, Japan) 203

The interesterification of edible palm oil by stearic acid in supercritical carbon dioxide
M.-T. Liang, C.-H. Chen and R.-C. Liang (Taiwan, People's Republic of China) 211

Water/AOT/ethane microemulsion under supercritical conditions as a reaction medium
Y. Ikushima, N. Saito, K. Hatakeda and M. Arai (Sendai, Japan) 217

Reactions – Supercritical Water

Chemical reactions and phase equilibria of model halocarbons and salts in sub- and supercritical water (200–300 bar, 100–600°C)
J.W. Tester, P.A. Marrone, M.M. DiPippo, K. Sako, M.T. Reagan, T. Arias and W.A. Peters (Cambridge, MA, USA) 225

Phenol oxidation kinetics in supercritical water
Y. Oshima, K. Hori, M. Toda, T. Chommanad and S. Koda (Tokyo, Japan) 241

Polyethylene conversion in supercritical water
M. Watanabe, H. Hirakoso, S. Sawamoto, T. Adschiri and K. Arai (Sendai, Japan) 247

Cellulose decomposition in hot-compressed water with alkali or nickel catalyst
T. Minowa, F. Zhen and T. Ogi (Ibaraki, Japan) 253

Cellulose hydrolysis in subcritical and supercritical water
M. Sasaki, B. Kabyemela, R. Malaluan, S. Hirose, N. Takeda, T. Adschiri and K. Arai (Sendai, Japan) 261

SUWOX—a facility for the destruction of chlorinated hydrocarbons
V. Casal and H. Schmidt (Karlsruhe, Germany) 269

Supercritical water oxidation for the destruction of municipal excess sludge and alcohol distillery wastewater of molasses
M. Goto, T. Nada, A. Ogata, A. Kodama and T. Hirose (Kumamoto, Japan) 277

Extractions

Industrial process development. Countercurrent multistage gas extraction (SFE) processes
G. Brunner (Hamburg, Germany) 283

Modeling of oil extraction with supercritical CO_2 from Atlantic mackerel (*Scomber scombrus*) at different moisture contents
N.T. Dunford (Alberta, Canada), M. Goto (Kumamoto, Japan) and F. Temelli (Alberta, Canada) 303

(Contents continued)

Fractionation of citrus oil by supercritical countercurrent extractor with side-stream withdrawal
M. Sato, M. Kondo, M. Goto, A. Kodama and T. Hirose (Kumamoto, Japan) 311
Extraction of Australian ginger root with carbon dioxide and ethanol entrainer
A.G. Badalyan, G.T. Wilkinson (The Levels, Australia) and B.-S. Chun (Pusan, South Korea) 319
Supercritical CO_2 extraction of ethanol from fermentation broth in a semicontinuous system
A. Güvenç, U. Mehmetoglu and A. Çalimli (Ankara, Turkey) 325
Separation of enantiomers by supercritical fluid extraction
B. Simándi, S. Keszei, E. Fogassy, S. Kemény and J. Sawinsky (Budapest, Hungary) 331
Quality assessment of refined olive oils by gas extraction
P.C. Simões, P.J. Carmelo, P.J. Pereira, J.A. Lopes, M. Nunes da Ponte (Monte da Caparica, Portugal) and G. Brunner (Hamburg, Germany) 337
Evaluation of the effects of process variables on the characteristics of the products from SCFE of a Brazilian mineral coal by statistical methods
C. Dariva, J.V. Oliveira, J.C. Pinto (Rio de Janeiro, Brazil), M.G. Vale and E.B. Caramão (Porto Alegre-RS, Brazil) 343

Materials Processing, Crystallization, Microemulsions

Bone allografts and supercritical processing: effects on osteointegration and viral safety
J. Fages (Albi, France), E. Jean, P. Frayssinet, D. Mathon (Toulouse, France), B. Poirier (Paris, France), A. Autefage (Toulouse, France) and D. Larzul (Paris, France) 351
Silica transfer and β-quartz growth from supercritical aqueous fluids
V.S. Balitsky, L.V. Balitskaya, T.M. Bublikova, A.G. Kalinichev, E.A. Marina (Moscow Region, Russia), H. Iwasaki and F. Iwasaki (Sagamihara, Japan) 357
Characterization of ceria and yttria co-doped zirconia/alumina composites crystallized in supercritical methanol
S. Yin, Y. Fujishiro, S. Uchida and T. Sato (Sendai, Japan) 363
Fine particles preparation of Red Lake C Pigment by supercritical fluid
Y. Gao, T.K. Mulenda, Y.-F. Shi and W.-K. Yuan (Shanghai, People's Republic of China) 369
The investigation of water/AOT/supercritical ethane reverse micelles by UV–VIS spectroscopy
Z. Shervani and Y. Ikushima (Sendai, Japan) 375

Meetings & Workshops 381
Author Index 383
Subject Index 385